

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Treasures of the Sea, Inc.	Addison	W-007950	ME0110256	12/23/08	J. Sohns	5P	4	Sea cucumber processing facility; 0.008 MGD process water discharge; production-based discharge limits; no discharge allowed July 1 to Sept 30
Madison Paper Industries	Anson	W-008062		02/23/04	J. Rogers	5R	5	Anson Hydro Project; 108,000 GPD non-contact cooling water
Pioneer Plastics	Auburn	W-007876	ME0000540	09/24/06	S. Rose	5S	1	Manufacturer of high pressure decorative laminates, treated papers & specialty resins; 1.34 MGD non-contact cooling water
American Tissue Mills of Maine, LLC	Augusta	W-000247	ME0002224	10/01/06	J. Rogers	5N	5	De-ink paper mill (formerly Statler Industries); 6.0 MGD process water discharge; toxics testing required; EPA MAJOR FACILITY; facility currently shut down
Department of Inland Fisheries & Wildlife	Augusta	W-002034		07/21/05	B. DeHaas	5Q	5	Governor Hill Fish Hatchery; 1.0 MGD process waste water discharge
Domtar Maine Corp.	Baileyville	W-008072		03/08/04	T. Hovell	5R	4	Woodland Hydro Project; 50,000 GPD non-contact cooling water; no monitoring required
Domtar Maine Corp.	Baileyville	W-008073		03/08/04	T. Hovell	5R	4	Grand Falls Hydro Project; 100,000 GPD non-contact cooling water; no monitoring required
Domtar Maine Corporation	Baileyville (Woodland)	W-002766		05/17/01	T. Hovell	5N	4	Kraft pulp and paper mill; 40 MGD process water, sanitary waste water, landfill leachate & storm water discharges; 5.6 MGD cooling & misc. storm water discharge; toxics testing required; thermal mixing zone approved; EPA MAJOR FACILITY

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Louisiana Pacific Corporation	Baileyville (Woodland)	W-000508	ME0022063	06/10/08	T. Hovell	5R	4	Stud mill and oriented strand board mill; 15 MGD non-contact cooling water; 160,000 GPD boiler blowdown, softener backwash & cooling waters
FPL Energy Maine Hydro	Baldwin	W-000582		02/05/04	S. Arnold	5R	3	Hiram Hydro Project; 241,900 GPD non-contact cooling water; no monitoring required
Webber Oil Company	Bangor	W-000767		06/02/05	T. Hovell	5S	4	Fuel oil terminal/transfer facility; storm water discharge
Town of Bar Harbor	Bar Harbor	W-001719	ME0036331	02/19/07	C. Trasko	5V	4	Snow dump; discharge to Frenchman's Bay (tidal); no monitoring required
Stinson Seafood Inc.	Bath	W-000798		10/02/05	S. Rose	5P	5	Fish processing facility; no licensed flow limit; production-based discharge limits
Bath Iron Works	Bath	W-007958	ME0036366	04/27/06	S. Rose	5V	5	Snow dump; discharge to Kennebec River (tidal); no monitoring required
City of Bath	Bath	W-007696		04/27/04	S. Rose	5V	5	Snow dump; discharge to Kennebec River (tidal); no monitoring required
Bath Iron Works	Bath	W-000671		12/08/05	S. Rose	5R	5	Ship building facility; 0.84 MGD non-contact cooling water; misc. dry dock and ship discharges
Carver Shellfish Inc.	Beals	W-007803		05/05/04	J. Sohns	5P	4	Fish processing facility; 3000 GPD process lobster water discharge; 10,600 GPD sea cucumber process water discharge
Penobscot Frozen Foods	Belfast	W-004897	ME0023043	07/10/07	D. Behr	5O	4	Potato processing facility; 100,000 GPD process water discharge; 75,000 GPD non-contact cooling water discharge
Biddeford and Saco Water Company	Biddeford	W-002545		04/11/96	S. Rose	5S	3	Drinking water treatment facility; 80,000 GPD filter backwash water discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
West Point Stevens, Inc.	Biddeford	W-002790	ME0000744	10/01/06	S. Rose	5R	3	Textile mill (formerly West Point Pepperell); 110,000 GPD non-contact cooling water
Maine Energy Recovery Company	Biddeford	W-006163	ME0023141	10/11/08	S. Rose	5R	3	Waste-to-energy incinerator; 93.6 MGD non-contact cooling water; thermal mixing zone approved
University of New England	Biddeford	W-008109		06/27/05	S. Arnold	5Q	3	Marine science and research center; 0.72 MGD treated marine lab and marine mammal rehabilitation center waste water
The Mountain, Inc.	Big Moose Twp.	W-008148	N/A	10/24/07	T. Hovell	5J	5	Commercial ski area; 11,000 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Bingham Hatchery, Inc.	Bingham	W-007577		08/24/01	J. Sohns	5Q	5	Commercial salmon; 15.84 MGD process waste water discharge
Vacationland Development, Inc.	Boothbay	W-003240		03/01/05	D. Behr	5J	5	Commercial campground (Little Ponderosa); 5200 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Town of Boothbay Harbor	Boothbay Harbor	W-007938	ME0036340	02/19/07	D. Behr	5V	5	Snow dump with discharge to Boothbay Harbor (tidal); no monitoring required
Green Acres Mobile Home Park	Brewer	W-003601		03/21/05	C. Trasko	5J	4	Commercial trailer park; 8,500 GPD sanitary waste water discharge through lagoon/spray irrigation system
Eastern Fine Paper	Brewer	W-002522	ME0000086	05/03/06	T. Hovell	5R	4	Paper mill; 6.39 MGD non-contact cooling water and 0.3 MGD intake filter backwash water discharges

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Camp Wildwood	Bridgton	W-007708	N/A	07/02/08	S. Arnold	5J	2	Commercial campground; 8500 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Winona Inc.	Bridgton	W-006784	N/A	06/21/07	S. Arnold	5J	3	Commercial campground (Winona Camp for Boys); 10,000 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Brunswick-Topsham Water District	Brunswick	W-002631	ME0000957	09/26/08	M. Hight	5S	1	Drinking water treatment facility; 80,000 GPD filter backwash discharge
FPL Energy Maine Hydro	Brunswick	W-000571		02/18/04	M. Hight	5R	1	Brunswick Hydro Project; 520,000 GPD non-contact cooling water; no monitoring required
Webber Tanks, Inc.	Bucksport	W-002566		03/08/05	T. Hovell	5S	4	Fuel oil terminal/transfer facility; storm water discharge
Champion International	Bucksport	W-000598		06/20/01	T. Hovell	5N	4	Pulp and paper mill; 18 MGD process water discharge; 72.0 MGD cooling water discharge from co-gen facility; toxics testing required; EPA MAJOR FACILITY
C.H. Sprague & Son, Inc.	Bucksport	W-002563		02/22/05	T. Hovell	5S	4	Fuel oil terminal/transfer facility; storm water discharge
FPL Energy Maine Hydro	Buxton	W-000578		02/05/04	S. Arnold	5R	3	Skelton Hydro Project; 859,000 GPD non-contact cooling water; no monitoring required
Town of Camden	Camden	W-007822		10/03/05	D. Behr	5V	5	Snow dump; discharge to lower Megunticook River and Camden Harbor (tidal); no monitoring required

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Air Force Base Conversion Agency	Caribou	W-007926		02/05/01	W. Sheehan	5S	2	Drinking water treatment facility; 8,000 GPD filter backwash discharge; previously licensed with Loring ABF sanitary waste water discharge (W-006654)
Caribou Utilities District	Caribou	W-006209		09/19/89	W. Sheehan	5S	2	Drinking water treatment facility; 20,000 GPD filter backwash discharge from freeze-thaw alum lagoons
WPS New England Generation, Inc.	Caribou	W-000638		03/02/04	S. Bernard	5R	2	Caribou Generating Station (formerly Maine Public Service); 29.82 MGD non-contact cooling water & boiler blowdown water discharges from oil-fired steam plant (currently mothballed); 1.2 MGD non-contact cooling water discharge from diesel-fired plant (used for emergency generation only)
Department of Inland Fisheries & Wildlife	Casco	W-002038		07/21/05	S. Arnold	5Q	2	Casco Fish Hatchery; 2.9 MGD process waste water discharge
Jasper Wyman & Sons	Cherryfield	W-000645		09/07/98	J. Sohns	5P	4	Blueberry processing facility; 0.1 MGD process water discharge to Narraguagus River; 0.27 MGD non-contact cooling water discharge; 3000 GPD sanitary waste water discharge (to be renewed as an OBD); also licensed for disposal of process waste water to 10 acre spray irrigation site in Milbridge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Cherryfield Foods, Inc.	Cherryfield	W-006234		06/11/96	J. Sohns	5P	4	Blueberry processing facility; 0.05 MGD process water discharge to Narraguagus River; 0.1 MGD non-contact cooling water discharge; 2250 GPD sanitary waste water discharge (to be renewed as an OBD); also licensed is disposal of 0.036 MGD of process waste water to spray irrigation sites in Columbia (Site #1-10 acres, Site #2-16 acres) & Milbridge (33 acres)
US Navy-Naval Communication Unit	Cutler	W-003318		12/22/05	C. Trasko	5R	4	Electrical Generating plant (emergency power); 1.584 MGD non-contact cooling water; misc. stormwater, boiler blowdown and contact cooling water discharges
Lake Pemaquid Inc.	Damariscotta	W-003271	N/A	06/06/08	D. Behr	5J	5	Commercial campground; 29,092 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Jasper Wyman & Sons	Deblois	W-007847	N/A	12/31/06	J. Sohns	5P	4	Blueberry processing facility; disposal of process waste water to 15 acre spray irrigation site
Connors Aquaculture	Deblois	W-002028		07/30/97	J. Sohns	5Q	4	Commercial salmonid hatchery/smolt production facility; 5.04 MGD process waste water discharge; currently shut down
Wyonegonic Camps	Denmark	W-007602	N/A	06/21/07	S. Arnold	5J	3	Commercial campground; 7000 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Dover-Foxcroft Water District	Dover-Foxcroft	W-007330	ME0102229	04/18/08	C. Trasko	5S	4	Drinking water treatment facility; 25,000 GPD filter backwash discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Connors Aquaculture	East Machias	W-007149		08/24/01	J. Sohns	5Q	4	Commercial salmonid hatchery/smolt production facility; 10.08 MGD process waste water discharge
Katahdin Paper, LLC	East Millinocket	W-002228		03/28/95	T. Hovell	5N	4	Pulp and paper mill; 33 MGD process water discharge (includes 0.47 MGD municipal waste water from Town of East Millinocket); 26 MGD non-contact cooling water discharge; misc. filter backwash and floor drain discharges; toxics testing required; EPA MAJOR FACILITY
Great Lakes Hydro America, LLC	East Millinocket	W-008076	ME0036511	03/09/09	J. Sohns	5R	4	East Millinocket Hydro Project; 30,240 GPD non-contact cooling water; no monitoring required
Great Lakes Hydro America, LLC	East Millinocket	W-008077	ME0036528	03/09/09	J. Sohns	5R	4	Dolby Hydro Project; 364,320 GPD non-contact cooling water; no monitoring required
Engelhard Corp.	Eastport	W-001553	ME0000396	04/18/08	J. Sohns	5O	4	Pearl essence production facility (formerly Mearl Corp.); 0.02 MGD process water discharge; toxics testing required
Connors Aquaculture	Eastport	W-001552		08/25/87	J. Sohns	5P	4	Fish processing plant (formerly Ocean Products); 0.15 MGD process water discharge; 0.225 MGD fish pumping water, refrigerated seawater & clean-up water discharge; 2000 GPD sanitary waste water discharge (scheduled to be connected to City sewer in spring of 1997)
Green Lake National Fish Hatchery	Ellsworth	W-000721		08/24/01	J. Sohns	5Q	4	Federal salmonid hatchery; 19.4 MGD process waste water discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Patten Pond KOA	Ellsworth	W-003294	N/A	06/26/06	C. Trasko	5J	4	Commercial campground; 15,000 GPD sanitary waste water discharge through facultative lagoon system; seasonal discharge only
Penobscot Hydro, LLC	Ellsworth	W-008065		03/08/04	C. Trasko	5R	4	Ellsworth Hydro Project; 200,160 GPD non-contact cooling water; no monitoring required
Department of Inland Fisheries & Wildlife	Embden	W-002029		07/21/05	J. Sohns	5Q	5	Embden Fish Rearing Station; 4.75 MGD process waste water discharge
Atlantic Salmon of Maine, LLC	Embden	W-007608		08/26/01	J. Sohns	5Q	5	Commercial salmonid hatchery; 17.28 MGD process waste water discharge; facility currently shut down
FPL Energy Maine Hydro	Embden	W-000574		02/22/04	T. Hovell	5R	5	Williams Hydro Project; 756,000 GPD non-contact cooling water; no monitoring required
Department of Inland Fisheries & Wildlife	Enfield	W-002032		07/21/05	J. Sohns	5Q	4	Enfield Fish Hatchery; 4.75 MGD process waste water discharge
Indeck Power Oversees Ltd.	Enfield	W-006116		09/12/08	T. Hovell	5S	4	Wood fired generating facility (formerly Babcock Ultrapower); 150,000 GPD cooling tower blowdown water; 36,000 GPD filter backwash water; 1,000 GPD building drain water, sump water & stormwater discharges
Bangor-Pacific Hydro Associates	Enfield	W-007529		03/08/04	T. Hovell	5R	4	West Enfield Hydro Project; 404,000 GPD non-contact cooling water; no monitoring required
Ridgewood Maine Hydro Partners	Eustis	W-008080		02/23/04	D. Dehr	5R	5	Eustis Hydro Project; 7,200 GPD non-contact cooling water; no monitoring required

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Boralex Fort Fairfield, Inc.	Fort Fairfield	W-007365	ME0023329	04/23/06	S. Bernard	5O	2	Wood fired generating facility (formerly Aroostook Valley Electric Co.); 68,160 GPD non-contact cooling water, boiler blowdown water, water treatment & ion exchange backwash water
Agvest Inc.	Franklin	W-007755		08/23/96	J. Sohns	5P	4	Blueberry processing facility; disposal of process waste water to 7 acre spray irrigation site
University of Maine—Center for Cooperative Aquacultural Research	Franklin	W-007642		12/20/05	J. Sohns	5Q	4	Aquaculture research facility (fomerly Penobscot salmon Company); 0.288 MGD process waste water discharge
Gardiner Water District	Gardiner	W-000953	ME0022519	05/01/08	D. Behr	5S	5	Drinking water treatment facility; 52,000 GPD filter backwash discharge
Ridgewood Maine Hydro Partners	Gardiner	W-008081		02/23/04	D. Behr	5R	5	American Tissue Hydro Project; 7,200 GPD non-contact cooling water; no monitoring required
Stinson Seafood, Inc.	Gouldsboro	W-000791	ME0000710	12/28/06	J. Sohns	5P	4	Sardine packing facility; 318,000 GPD process waste water discharge
Department of Inland Fisheries & Wildlife	Grand Lake Stream Plt.	W-002037		07/21/05	J. Sohns	5Q	4	Grand Lake Stream Fish Hatchery; 2.88 MGD process waste water discharge
Department of Inland Fisheries & Wildlife	Gray	W-002031		07/21/05	S. Arnold	5Q	2	Dry Mills Fish Hatchery; 1.89 MGD process waste water discharge
Cold Brook Energy	Hampden	W-000563	ME0002267	11/08/06	T. Hovell	5S	4	Fuel oil terminal/transfer facility (formerly Texaco Inc.); storm water discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Hancock Foods	Hancock	W-003145		05/25/98	C. Trasko	5P	4	Blueberry processing facility; 0.025 MGD process water discharge to tributary of Card Brook; also licensed for disposal of process waste water to 30 acre spray irrigation site
Merrill Blueberry Farms	Hancock	W-007792		03/24/99	C. Trasko	5P	4	Blueberry processing facility; disposal of process waste water to 11 acre spray irrigation site
Roderick Dyer	Harrison	W-008124	N/A	06/18/07	S. Arnold	5J	2	Subsurface disposal of 1800 GPD treated septage leachate
Irving Tanning Company	Hartland	W-001915		06/04/04	T. Hovell	5R	5	Leather tanning facility; 500,000 GPD non-contact vacuum drying cooling water
Elaine Currier (d/b/a Fuller Road Trailer Park)	Hermon	W-007690	N/A	12/20/07	J. Sohns	5J	4	Commercial trailer park; 4,500 GPD seasonal sanitary waste water discharge through lagoon/spray irrigation system
FPL Energy Maine Hydro	Hollis	W-000581		02/05/04	S. Arnold	5R	3	Bar Mills Hydro Project; 67,000 GPD non-contact cooling water; no monitoring required
A.E. Staley Manufacturing Inc.	Houlton	W-000940	ME0002216	06/26/08	S. Bernard	5N	2	Starch processing facility; 0.04 MGD seasonal process water discharge to Meduxnekeag River; 0.05 MGD non-contact cooling water discharge; also licensed for disposal of process waste water to 30 acre spray irrigation site; EPA MAJOR FACILITY
Penobscot Hydro, LLC	Howland	W-008064		03/08/04	J. Sohns	5R	4	Howland Hydro Project; 1,440 GPD non-contact cooling water; no monitoring required
FPL Energy Maine Hydro	Indian Stream Twp.	W-000572		02/22/04	T. Hovell	5R	5	Indian Pond Hydro Project; 4.23 MGD non-contact cooling water; no monitoring required

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
National Starch and Chemical Corp.	Island Falls	W-002620		06/06/07	W. Sheehan	5O	2	Starch manufacturing facility; 0.12 MGD process water discharge; toxics testing required
International Paper	Jay	W-000623		03/01/99	B. DeHaas	5N	1	Kraft pulp and paper mill; 51 MGD discharge of process water, sanitary waste water, contact and non-contact cooling waters, landfill leachate, and stormwater; license also includes non-contact cooling water discharges from Riley, Jay, and Livermore Falls Hydro Stations; toxics testing required; EPA MAJOR FACILITY
Moosabec Mussels, Inc.	Jonesport	W-008152	ME0110248	05/21/08	J. Sohns	5P	4	Shellfish processing facility; 24,500 GPD process water discharge
The Pier	Jonesport	W-007888		07/12/01	J. Sohns	5P	4	Sea cucumber processing facility; 15,000 GPD process water discharge
Paul Pray d/b/a Country Mobile Home Park	Kenduskeag	W-003618	N/A	12/31/07	J. Sohns	5J	4	Commercial mobile home park; 8700 GPD sanitary waste water discharge through facultative lagoons
Watts Fluidair	Kittery	W-005147		01/29/06	M. Hight	5R	3	Manufacturer of compressed air filters, regulators and lubricators; 103,000 GPD non-contact cooling water, boiler blowdown water, and treated groundwater from groundwater remediation project
Portsmouth Naval Shipyard	Kittery	W-003445		12/08/05	M. Hight	5R	3	Submarine repair & overhaul facility; 33 MGD non-contact condenser & compressor cooling water; misc. dry dock dewatering water & stormwater discharges
FPL Energy Maine Hydro	Lewiston	W-007658		02/18/04	S. Arnold	5R	1	Lewiston Falls Hydro Project; 432,000 GPD non-contact cooling water; no monitoring required

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
DEP-Division of Environmental Assessment	Limerick	W-008156	ME0090670	12/31/2004	S. Rose	5U	3	Aquatic herbicide treatment of Pickerel Pond to control invasive hydrilla verticillata
Ledgemere Hydro, LLC	Limerick	W-008059		02/05/04	S. Arnold	5R	3	Ledgemere Hydro Project; 22,320 GPD non-contact cooling water; no monitoring required
Lincoln Pulp and Paper	Lincoln	W-000381		01/23/02	T. Hovell	5N	4	Kraft pulp and paper mill; 16.3 MGD process water; 3.0 MGD non-contact cooling water; toxics testing required; tiered discharge limits based on production; toxics testing required; EPA MAJOR FACILITY
Aziscohos Hydro Company	Lincoln Plt.	W-007582		02/18/04		5R	1	Aziscohos Hydro Project; 270,000 GPD non-contact cooling water; no monitoring required
Masonite Corp.	Lisbon	W-002520		01/04/05	D. Behr	5S	1	Fiber board manufacturing facility (formerly Wood Fiber Industries; formerly U.S. Gypsum); 3.0 MGD non-contact cooling water
Miller Hydro Group	Lisbon	W-007590		02/18/04	D. Behr	5R	1	Worumbo Hydro Project; 1.015 MGD non-contact cooling water; no monitoring required
Miller Industries, Inc.	Lisbon	W-001820		05/17/05	D. Behr	5R	1	Worumbo Textile Mill; 10,000 GPD non-contact cooling water (intermittent discharge); no monitoring required
Maine Electronics	Lisbon	W-007759		02/02/04	D. Behr	5S	1	Decommissioned circuit board manufacturing facility; 72,000 GPD discharge from DEP-approved groundwater remediation project. Discharge currently goes to Lisbon POTW

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Consumers Maine Water Company	Moosehead Jct. Twp.	W-008087		09/21/04	T. Hovell	5S	5	Drinking water treatment facility; 6,000 GPD filter backwash discharge to sub-surface treatment system
Northeast Empire Ltd. Partnership	Livermore Falls	W-007705		12/28/05	B. DeHaas	5O	1	Wood fired generation facility; 138,000 GPD cooling tower blowdown water; 10,000 GPD ion-exchange water treatment system backwash waters; misc. floor drain & stormwater discharges
Otis Hydroelectric Co.	Livermore Falls	W-008067		02/18/04	B. DeHaas	5R	1	Otis Hydro Project; 14,400 GPD non-contact cooling water; no monitoring required
Taka International Corp.	Lubec	W-008161	ME0110281	10/16/08	J. Sohns	5P	4	Sea cucumber processing facility; 8,000 GPD process water discharge
Maine Wild Blueberry Company	Machias	W-006137	ME0023051	11/15/06	J. Sohns	5R	4	Blueberry processing facility; 70,000 GPD non-contact cooling water
Atlantic Salmon of Maine	Machiasport	W-007951		02/25/02	J. Sohns	5P	4	Salmon processing facility; 0.021 MGD process water discharge
Atlantic Salmon of Maine Limited Liability Company	Machiasport	W-007756		06/13/99	J. Sohns	5P	4	Salmon processing facility; 0.012 MGD process water discharge
Fraser Paper	Madawaska	W-002727		04/22/04	W. Sheehan	5N	2	Pulp and paper mill; 25 MGD discharge of process water, landfill leachate water, non-contact cooling water, filter backwash water, and stormwater; toxics testing required; EPA MAJOR FACILITY
Madawaska Water District	Madawaska	W-002562		11/14/89	W. Sheehan	5S	2	Drinking water treatment facility; 30,000 GPD filter backwash discharge; sedimentation basin cleaning waste water discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Madison Paper Industries	Madison	W-002006	ME0002534	06/27/06	J. Rogers	5S	5	Pulp & paper mill; 8.8 MGD vacuum seal and non-contact cooling water and 2.0 filter backwash water discharges; all process and sanitary waste waters go to Anson-Madison POTW
Madison Paper Industries	Madison	W-008063		02/23/04	J. Rogers	5R	5	Abenaki Hydro Project; 129,600 GPD non-contact cooling water; no monitoring required
Freshway, Inc.	Mars Hill	W-007949		01/31/02	W. Sheehan	5P	2	Potato processing facility; disposal of process waste water through lagoon/spray irrigation and snowfluent systems
WPS New England Generation, Inc.	Masardis	W-008069		02/05/03	S. Bernard	5R	3	Squa Pan Hydro Project; 4,800 GPD non-contact cooling water; no monitoring required
Great Lakes Hydro America, LLC	Mattawam-keag	W-008075	ME0036552	03/09/09	J. Sohns	5R	4	Mattaceunk Hydro Project; 144,000 GPD non-contact cooling water; no monitoring required
Lawrence Ray Fishing Industries	Milbridge	W-007894		07/12/01	J. Sohns	5P	4	Sea cucumber processing facility; 15,000 GPD process water
Penobscot Hydro, LLC	Milford	W-002570		03/08/04	T. Hovell	5R	4	Milford Hydro Project; 18,000 GPD non-contact cooling water; no monitoring required
Daaquam Maine Inc.	Milford	W-002525		04/14/04	T. Hovell	5O	4	Sawmill (Costigan Mill) (formerly Champion Paper); 13,650 GPD non-contact cooling water, boiler blow-down and filter backwash discharge; facility currently shut down

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Katahdin Paper, LLC	Millinocket	W-002227		08/01/99	T. Hovell	5N	4	Pulp and paper mill; 43 MGD process water discharge; 85 MGD non-contact condenser cooling water discharge; 15 MGD bearing and pump cooling water discharge; misc. stormwater discharge; toxics testing required; thermal mixing zone approved; EPA MAJOR FACILITY; facility currently shut down
Unity College	Milo	W-001718		11/10/04	J. Sohns	5Q	4	Salmonid hatchery/fish research facility; 14.4 MGD process water discharge; facility not yet built
Tex-Tech Industries	Monmouth	W-000631		06/21/04	B. DeHaas	5R	5	Textile mill; 85,000 GPD non-contact cooling water
FPL Energy Maine Hydro	Moscow	W-000573		02/22/04	T. Hovell	5R	5	Wyman Hydro Project; 993,000 GPD non-contact cooling water; no monitoring required
Camp Laurel	Mount Vernon	W-003269	N/A	11/07/07	B. DeHaas	5J	5	Commercial campground; 30,000 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Irving Forest Products Inc.	Nashville Plt.	W-007883		09/01/00	W. Sheehan	5S	2	Sawmill (Pinkham Lumber Company); 6500 GPD debarking hot pond water & boiler blowdown water discharge through infiltration/evaporation lagoon
Department of Inland Fisheries & Wildlife	New Gloucester	W-002030		07/21/05	S. Arnold	5Q	2	New Gloucester Fish Rearing Ponds; 3.0 MGD process waste water discharge
New Sharon Water District	New Sharon	W-007693		09/04/96	D. Behr	5S	5	Drinking water treatment facility; 15,000 gallons per month filter backwash discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
United Technologies/Pratt & Whitney	North Berwick	W-002749	ME0022861	03/15/07	M. Hight	5N	3	Manufacturer of turbo fan jet engine components; 50,000 GPD process water discharge; toxics testing required; EPA MAJOR FACILITY
Town of North Haven	North Haven	W-008142	ME0102482	06/18/07	B. DeHaas	5S	5	Drinking water treatment facility; 2000 GPD filter backwash discharge
Messalonskee Stream Hydro LLC	Oakland	W-000577		02/22/04	D. Behr	5R	5	Rice Rips (M3) Hydro Project; 26,900 GPD non-contact cooling water; no monitoring required
Messalonskee Stream Hydro LLC	Oakland	W-000585		02/22/04	D. Behr	5R	5	Oakland (M2) Hydro Project; 48,000 GPD non-contact cooling water; no monitoring required
Fort James Operating Company	Old Town	W-002226		02/11/99	T. Hovell	5N	4	Kraft pulp and paper mill (formerly James River Corp.); 24.4 MGD discharge of process water and treated landfill leachate water; 3.0 MGD non-contact cooling water/steam condensate discharge; misc. filter backwash and hydro station cooling waters; toxics testing required; EPA MAJOR FACILITY
Old Town Water District	Old Town	W-007706		10/09/96	T. Hovell	5S	4	Drinking water treatment facility; 21,000 GPD filter backwash discharge
PP&L Great Works, LLC	Old Town	W-008068		03/08/04	J. Sohns	5R	4	Great Works Hydro Project (formerly Fort James Corp.); 88,560 GPD non-contact cooling water; no monitoring required
G.M. Allen & Sons	Orland	W-007791		02/28/00	J. Sohns	5P	4	Blueberry processing facility; disposal of process waste water to 3 spray irrigation sites totaling 15 acres
Craig Brook National Fish Hatchery	Orland	W-001285		08/24/01	C. Trasko	5Q	4	Federal salmonid hatchery; 2.1 MGD process waste water discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Balsam Cove Campground	Orland	W-007874	N/A	06/24/07	C. Trasko	5J	4	Commercial campground; 3700 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Orono-Veazie Water District	Orono	W-007954		12/19/01	T. Hovell	5S	4	Drinking water treatment facility; 29,500 GPD filter backwash discharge
University of Maine	Orono	W-008153	ME0090662	03/28/08	T. Hovell	5S	4	Intermittent discharge of up to 30,000 GPD filter backwash water from Univeristy swimming pool
Holtrachem Manufacturing Co.	Orrington	W-001048		12/31/03	T. Hovell	5N	4	Chemical (chlorine) manufacturing facility (formerly LCP Chemicals); 0.15 MGD process water discharge; toxics testing required; EPA MAJOR FACILITY; facility currently shut down
Penobscot Energy Recovery Co.	Orrington	W-006893		03/18/04	T. Hovell	5O	4	Refuse fired generating facility; 22,500 GPD non-contact cooling water; boiler blowdown water, demineralizer regeneration water, ash handling water & baghouse scrubber wash water
Robinson Manufacturing Co.	Oxford	W-000612	ME0002526	12/16/08	S. Arnold	5N	1	Textile mill; 0.5 MGD process water and sanitary waste water discharge; 200,000 GPD non-contact cooling water discharge; toxics testing required; EPA MAJOR FACILITY
Department of Inland Fisheries & Wildlife	Palermo	W-002035		07/21/05	D. Behr	5Q	5	Palermo Fish Rearing Station; 3.9 MGD process waste water discharge
Kezar Falls Hydro LLC	Parsonsfield (Kezar Falls)	W-008060		02/05/04	S. Arnold	5R	3	Kezar Falls Hydro Project; 22,320 GPD non-contact cooling water; no monitoring required

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Robinson Manufacturing Co.	Parsonsfield (Kezar Falls)	W-000920	ME0020893	03/12/07	S. Arnold	5R	3	Textile mill; 75,000 GPD non-contact cooling water; no monitoring required
Passamaquoddy Water District	Perry	W-007568		03/09/93	J. Sohns	5S	4	Drinking water treatment facility; 75,000 GPD filter backwash discharge
Department of Inland Fisheries & Wildlife	Phillips	W-002036		07/21/05	B. DeHaas	5Q	5	Phillips Fish Rearing Station; 0.28 MGD process waste water discharge
Sebasco Harbor Resort	Phippsburg	W-007987	ME0102520	10/20/08	S. Rose	5S	5	Drinking water treatment facility; 2,500 GPD filter backwash discharge
Sea Run Inc.	Pierce Pond Township	W-000905		04/19/90	B. DeHaas	5Q	5	Commercial fish hatchery and rearing station; 1.5 MGD process waste water discharge
Soil Preparation, Inc.	Plymouth	W-007882	N/A	07/02/08	J. Sohns	5J	5	Septage dewatering and composting facility; 20,000 GPD discharge of treated septage through lagoon/spray irrigation system
I.S.F. Trading Company	Portland	W-007808		02/06/00	S. Arnold	5P	2	Sea urchin and shrimp processing facility; 0.106 MGD process water discharge; production-based discharge limits
City of Portland	Portland	W-007871		05/03/05	S. Rose	5V	2	Snow dump; discharge to Fore River (tidal); no monitoring required
Heritage Acquisition Corp.	Portland	W-000980		12/07/03	S. Arnold	5R	2	Baked bean processing facility (formerly Burnham & Morrill); 525,000 GPD non-contact cooling water
Golden Gate Park	Presque Isle	W-008159	N/A	05/28/08	W. Sheehan	5J	2	Commercial mobile home park; 44,000 GPD sanitary waste water discharge through combination spray irrigation/snowfluent system

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
McCain Foods, Inc.	Presque Isle	W-008085	ME0036218	07/22/04	S. Bernard	5N	2	Potato processing facility; 4.0 MGD process water and sanitary waste water; toxics testing required; EPA MAJOR FACILITY
Presque Isle Water District	Presque Isle	W-002618		05/02/00	W. Sheehan	5S	2	Drinking water treatment facility; 180,000 GPD filter backwash discharge
Atlantic Salmon Maine, Inc.	Rangeley	W-004701		12/12/91	B. DeHaas	5Q	5	Commercial salmon hatchery; 15.5 MGD process waste water discharge; facility scheduled to shut down in the spring of 2004
FMC Biopolymer	Rockland	W-001999	ME0000400	08/13/07	J. Rogers	5R	5	Carageenan manufacturing facility; 15.5 MGD contact and non-contact cooling water discharge
Town of Rockland	Rockland	W-007939	ME0036323	02/19/07	J. Rogers	5V	5	Snow dump; discharge to Rockland Harbor (tidal); previously included in Rockland POTW license; no monitoring required
Town of Rockport	Rockport	W-008134	ME0036307	12/21/06	D. Behr	5V	5	Snow dump; discharge to Rockport Harbor (tidal); no monitoring required
Mead Oxford Corp.	Rumford	W-000955		06/01/00	B. DeHaas	5N	1	Kraft pulp and paper mill (formerly Boise Cascade); 34 MGD process water & landfill leachate water discharge; 17 MGD non-contact cooling water discharge; 30 MGD cooling water discharge from co-gen facility; toxics testing required; thermal mixing zone approved; EPA MAJOR FACILITY
Rumford Falls Power Co.	Rumford	W-008083		02/18/04	D. Behr	5R	1	Rumford Falls Hydro Project; 145,000 GPD non-contact cooling water; no monitoring required

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
FPL Energy Maine Hydro	Saco	W-000584		02/05/04	S. Arnold	5R	3	Cataract Hydro Project; 300,000 GPD non-contact cooling water; no monitoring required
CYRO Industries	Sanford	W-001914	ME0022667	10/02/05	M. Hight	5R	3	Plastics manufacturing facility; 300,000 GPD non-contact cooling water
Bayley's Quality Seafood	Scarborough	W-000990	ME0110221	08/13/07	M. Hight	5P	2	Shellfish processing facility; 49,490 GPD shrimp and clam processing and cleanup water discharge
General Alum New England Corp.	Searsport	W-002530		03/05/02	T. Hovell	5S	4	Industrial chemical manufacturer (formerly Delta Chemicals); 2600 GPD non-contact cooling water discharge; 2200 GPD boiler blowdown, backwash water, and storm water discharges
Irving Oil Terminals, Inc.	Searsport	W-000942		03/03/05	T. Hovell	5S	4	Fuel oil terminal/transfer facility; storm water discharge
Irving Oil Terminals, Inc.	Searsport	W-001373		03/03/05	T. Hovell	5S	4	Fuel oil terminal/transfer facility; storm water discharge; 2 separate outfalls
C.H. Sprague & Son, Inc.	Searsport	W-002564		02/22/05	T. Hovell	5S	4	Fuel oil terminal/transfer facility; storm water discharge
S. D. Warren-Somerset Plant	Fairfield	W-000385	ME0021521	09/12/08	D. Behr	5N	5	Kraft pulp and paper mill; 46.5 MGD discharge of process water, sanitary waste water, non-contact cooling water, treated landfill leachate water, and treated residuals storage pad leachate water; toxics testing required; EPA MAJOR FACILITY
FPL Energy Maine Hydro	Skowhegan	W-000583		02/22/04	B. DeHaas	5R	5	Weston Hydro Project; 720,000 GPD non-contact cooling water; no monitoring required

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Camp Matoaka, Inc.	Smithfield	W-006097		12/08/05	B. DeHaas	5J	5	Commercial summer camp; 18,000 GPD sanitary waste water discharge through lagoon/spray irrigation system; seasonal discharge only
Thomas Massey Ltd.	South Bristol	W-007095	ME0023272	07/29/07	D. Behr	5P	5	Shellfish processing facility (formerly Maine Mariculture); 22,500 GPD washing and cooking water discharge
Portland Pipeline Corporation	South Portland	W-002651		01/17/06	S. Arnold	5S	2	Fuel oil terminal/transfer facility; storm water discharge
Clean Harbors Environmental Services, Co.	South Portland	W-000647		10/27/04	S. Arnold	5S	2	Fuel oil terminal/transfer facility; storm water discharge
Gulf Oil Corp.	South Portland	W-000737		06/02/05	S. Arnold	5S	2	Fuel oil terminal/transfer facility (formerly Catamount Petroleum); storm water discharge
ExxonMobil Oil Corporation	South Portland	W-002653	ME0000485	01/01/09	S. Arnold	5S	2	Fuel oil terminal/transfer facility; storm water discharge and treated tank bottom discharge water
Sprague Energy Corp.	South Portland	W-000886	ME0001821	12/21/06	S. Arnold	5S	2	Fuel oil terminal/transfer facility (formerly B.P. Oil); storm water discharge
Motiva Enterprises LLC	South Portland	W-000637		06/06/05	S. Arnold	5S	2	Fuel oil terminal/transfer facility (formerly Star Enterprises); storm water discharge
Global Companies, LLC	South Portland	W-002565	ME0001775	01/17/06	S. Arnold	5S	2	Fuel oil terminal/transfer facility (formerly Northeast Petroleum); storm water discharge
Great Eastern Mussel Farms Inc.	St. George	W-003993	ME0023124	07/10/07	D. Behr	5P	5	Shellfish washing and packing facility; 0.72 MGD process water discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
First Technology/ Control Devices, Inc.	Standish	W-000643	ME0002399	07/17/06	S. Arnold	5N	2	Manufacturer of thermoprotectors and ceramic positive temperature coefficient thermistors & resonators (formerly GTE); 0.020 MGD process water and non-contact cooling water discharge; toxics testing required; EPA MAJOR FACILITY
Island Aquaculture Company Inc.	Swans Island	W-007794		11/22/98	J. Sohns	5P	4	Salmonid, crab, lobster & sea urchin processing facility (formerly Town of Swans Island); ~0.011 MGD process water discharge; seasonal discharge only
Island Aquaculture Company Inc.	Swans Island	W-008174	ME0110299	10/16/08	M. Young	5Q	4	Salmon and cod aquaculture facility (Toothacher Cove site)
Great Lakes Hydro America, LLC	T3 Indian Purchase	W-008078	ME0036536	03/09/09	J. Sohns	5R	4	North Twin Hydro Project; 36,000 GPD non-contact cooling water; no monitoring required
Great Lakes Hydro America, LLC	T3 R11	W-008079	ME0036544	03/09/09	J. Sohns	5R	4	Ripogenus Hydro Project; 691,200 GPD non-contact cooling water; no monitoring required
Brassua Hydro Limited Partnership	Taunton & Raynham Twp.	W-008054	ME0036404	12/16/08	J. Sohns	5R	5	Brassua Hydro Project; 14,400 GPD non-contact cooling water; no monitoring required
Topsham Hydro Partners	Topsham	W-008058		02/18/04	B. DeHaas	5R	1	Pejepscot Hydro Project; 349,920 GPD non-contact cooling water; no monitoring required
DeCoster Egg Farms	Turner	W-001494		04/03/05	D. Behr	5R	1	Chicken egg hatchery; 7,000 GPD non-contact cooling water

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
Quality Egg of New England	Turner	W-008094		03/14/05	D. Behr	5O	1	Commercial egg production facility; 19,500 GPD egg wash water and sanitary waste water; discharge through facultative lagoon/spray irrigation system to 3 spray sites totalling 68 acres
Casco Bay Energy Co., L.C.C.	Veazie	W-008016	ME0036188	11/10/08	T. Hovell	5O	4	Combined cycle natural gas-fired generating facility (Maine Independence Station); 1.96 MGD filter backwash water, demineralization water, cooling tower blowdown water, and boiler blowdown water
Penobscot Hydro, LLC	Veazie	W-002568		03/09/04	T. Hovell	5R	4	Veazie Hydro Project; 60,550 GPD non-contact cooling water; no monitoring required
Town of Vinalhaven	Vinalhaven	W-002927	ME0022772	10/30/06	D. Behr	5P	5	Seafood processing facility; 0.050 MGD process water discharge
Osram Sylvania	Waldoboro	W-000714	ME0002381	09/18/06	B. DeHaas	5N	5	Light bulb filament manufacturing facility (formerly GTE Products); 0.05 MGD process water discharge; 36,000 GPD treated groundwater discharge; toxics testing required; EPA MAJOR FACILITY
Waterways, Inc.	Waterboro	W-008129	N/A	09/25/06	M. Hight	5S	3	Commercial car wash facility; 700 GPD wash water discharge to subsurface treatment system
Maine Central Railroad	Waterville	W-006634		01/11/06	B. DeHaas	5O	5	Railroad locomotive and railcar repair facility; process waste water & storm water discharges

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
S.D. Warren	Westbrook	W-002224	ME0002321	07/02/07	S. Rose	5N	2	Paper mill; 15 MGD process water and filter backwash water discharge; 12 MGD non-contact cooling water discharge; toxics testing required; thermal mixing zone approved; EPA MAJOR FACILITY
UAH-Hydro Kennebec Ltd. Partnership	Winslow	W-007579	ME0036561	02/23/09	D. Behr	5R	5	Hydro Kennebec Project; 232,000 GPD non-contact cooling water; no monitoring required
Dorothy Egg Farm	Winthrop	W-008103		07/14/05	B. DeHaas	5P	5	Commercial egg production facility; 2,000 GPD egg wash and sanitary waste water discharge to subsurface treatment system
Town of Wiscasset	Wiscasset	W-007711		10/27/04	D. Behr	5V	5	Snow dump; discharge to Sheepscot River (tidal); no monitoring required
Maine Yankee Atomic Power Co.	Wiscasset	W-000746	ME0002569	04/13/06	D. Behr	5R	5	Nuclear power plant; EPA MAJOR FACILITY; facility currently being decommissioned; 24,000 GPD misc. discharges; 400,000 GPD one-time discharge of radiological shielding water during 2001; 425,000 GPD one-time discharge of spent nuclear fuel pool water during 2003
FPLE Mason LLC	Wiscasset	W-000599	ME0000256	11/04/08	D. Behr	5R	5	Mason Station (fossil fuel-fired generating facility); 111.0 MGD non-contact cooling water; 0.648 MGD ash hopper seal water; 0.03 MGD deaerator overflow water; 0.212 MGD treatment pond lagoon waste water; misc. roof and floor drain waters; toxics testing required
Bath Water District	Woolwich	W-008140	ME0036358	06/17/07	S. Rose	5S	5	Drinking water treatment facility; 283,000 GPD filter backwash discharge

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003
SORTED BY LOCATION

LICENSEE	LOCATION	LICENSE #	MEPDES #	EXP. DATE	INSPECTOR	TYPE	W.C.	NOTES
FPLE Wyman LLC	Yarmouth	W-000634	ME0000272	09/03/08	S. Arnold	5R	2	W.F. Wyman Station (fossil fuel fired generating facility); 530 MGD non-contact cooling water; 5.0 MGD intake backwash water; 8.4 MGD boiler blowdown, ash transport, and ash hopper seal waters, regeneration water, and misc. floor drain and stormwater discharges; EPA MAJOR FACILITY; toxics testing required
The Goldenrod	York	W-002862		06/28/05	M. Hight	5R	3	Restaurant & candy factory; seasonal discharge of 20,000 GPD non-contact cooling water; no monitoring required

TOTAL LICENSED NON-POTW DISCHARGES: 202

NON-POTW WASTE DISCHARGE LICENSES AS OF DECEMBER 31, 2003

KEY TO COLUMN HEADINGS

LICENSEE	Name of license holder.
LOCATION	Municipality in which discharge is located.
LICENSE #	DEP waste water facility/license number.
MEPDES #	Maine Pollutant Discharge Elimination System permit number. MEPDES permits are required for all discharges to surface water, but are not required for subsurface or land application discharges.
EXP. DATE	Expiration date of last DEP license issued for the facility.
INSPECTOR	Name of assigned DEP plant inspector.
TYPE	Type code and base fee category for the facility: 5J Sanitary wastewater, commercial source 5N Major industrial facility--process wastewater discharge 5O Minor industrial facility--process wastewater discharge 5P Food handling or packaging wastewater 5Q Fish rearing facility 5R Non-contact cooling water 5S Industrial/Commercial source--miscellaneous or incidental non-process wastewater 5U Aquatic pesticide application 5V Snow dump 5X Log storage permit 5Y Atlantic salmon aquaculture facility 5Z Experimental discharge license
W.C.	Watershed Code, per EPA: 1 = Androscoggin River Basin 2 = St. John & Presumpscot Rivers/Casco Bay Basins 3 = Saco/Salmon Falls River Basins 4 = Penobscot/East Coastal Basins 5 = Kennebec River/Central Coastal Basins
NOTES	Notes identify type of facility, volume and type of license discharge(s), facilities for which toxics testing is required, discharges for which a thermal mixing zone has been approved, seasonal-only discharges, special facility information, and EPA major facilities.

\NonPOTW Licenses 12-31-2003